

*"On or off in 30 Seconds"*




**CYGNET REAR CAR CO.**

1200 NIAGARA STREET

BUFFALO, N. Y.




The Cygnet Rear Car fills a long-felt want. It gives you automobile capacity and safety at motorcycle cost of upkeep and maintenance.



NOTE COMMODIOUS SEATING SPACE



“Made to Fit any Standard Motorcycle”



Adjustable Here

Adjustable Here


Adjustable Here

Adjustable Here

NOTE ADJUSTABLE PARTS



## No Machine Work



Front brackets are attached and adjusted in 15 minutes. When motorcycle only is to be used, these brackets can be left on the machine. They are quite inconspicuous and make a convenient and comfortable foot rest.


Front brackets are adjustable in 3 places. This makes it possible to fit on any standard make motorcycle.

Attaching and Adjusting Front Brackets

Note Simplicity of Construction



## “On or Off in 30 Seconds”



ATTACHING CYGNET REAR CAR TO FRONT BRACKETS

Draw the shafts of rear-car up behind motorcycle. Ends of shafts fit onto plates of front brackets and are then securely fastened by clamp and thumb screw.



## Specifications

**FRAME**—Seamless steel tubing, reinforcements and joints securely brazed, making an exceedingly strong and rigid frame.

**SPRINGS**—Very flexible steel springs, giving unexcelled riding qualities. Spiral steel spring cushion.

**BODY**—Substantial construction metal sides. Beautifully upholstered in imitation leather. Very roomy, comfortable and attractive looking. Foredoors, one each side.

**WHEELS**—28 in. standard cycle wheel, 36 spokes.

**TIRES**—Goodyear studded tires, 28x2 $\frac{3}{4}$  in.

**FINISH**—Dark grey.

**PRICE**—Complete \$100.00 f. o. b. Buffalo, N.Y.



Blank page.

